

Notice of Allowability

Application No.

10/688,775

Applicant(s)

DOYLE, WILLIAM

Examiner

Benny Q. Tieu

Art Unit

2614

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to Patent Application filed on Oct. 17, 2003.
2. ☒ The allowed claim(s) is/are 1-25.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some* c) ☐ None of the:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☒ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
- (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
- 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
- (b) ☒ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- | | |
|--|--|
| 1. <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 5. <input type="checkbox"/> Notice of Informal Patent Application |
| 2. <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 6. <input type="checkbox"/> Interview Summary (PTO-413),
Paper No./Mail Date _____. |
| 3. <input type="checkbox"/> Information Disclosure Statements (PTO/SB/08),
Paper No./Mail Date _____ | 7. <input checked="" type="checkbox"/> Examiner's Amendment/Comment |
| 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit
of Biological Material | 8. <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance |
| | 9. <input type="checkbox"/> Other _____. |

EXAMINER'S COMMENT

Drawings

1. The drawings are objected to because Figures 1 and 2 did not show the name of each of the elements in the figures. For example, beside the label "100", element 100 should be named as "ILEC" in the dash box in Fig. 1 as well. Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Reasons For Allowance

2. The following is an examiner's statement of reasons for allowance: King (U.S. Patent No. 6,301,351) teaches a device and method for transferring service of a local loop from one local exchange carrier to another competing local exchange carrier. A first local exchange carrier has a first switch connected to a distribution frame, which is connected to subscribers. A second local exchange carrier sets up a second switch and an interface in proximity to the distribution frame, and "half-taps" the interface with the connection between the first switch and the distribution frame. The second local exchange carrier has control over the first switch to connect or disconnect it from the distribution network (column 2, lines 24-38). Argo (U.S. Patent No. 6,983,037) teaches a method for performing automated UNE migration comprising receiving a disconnect order for an existing telephone service and receiving a connect order for a new telephone service. The existing telephone service is provided by a first exchange carrier and the new telephone service is provided by a second exchange carrier. A test cable is installed to simulate the new telephone service. The method further comprises verifying that the test cable performs correctly. The verifying includes executing a test on the test cable responsive to a test instruction from a migration software application. The existing telephone service is deactivated, where the deactivating is automated in response to a deactivation command from the migration software application and is responsive to said verifying. The test cable is activated to provide the new telephone service, where the activating is automated in response to an activation command from the migration software application and in response to the deactivating (column 2, lines 43-50). However, prior art of record fails to teach, or renders obvious, alone or in combination, a method for and a device for use in implementing a cutover of a subscriber telephone line from a

Art Unit: 2614

telephone line of a first exchange to a telephone line of a second exchange wherein a controllable switch having a main leg coupleable to said subscriber telephone line, a first leg coupleable to said telephone line of the first exchange, and a second leg coupleable to said telephone line of the second exchange, and operative, in response to a control signal, to couple the subscriber telephone line to either the telephone line of the first exchange or the telephone line of the second exchange, and a controller for producing said control signal upon receipt, from a remote location, of a predetermined trigger signal as directly recited in all independent claims.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Benny Q. Tieu whose telephone number is 571-272-7490. The examiner can normally be reached on Monday-Friday: 6:30AM - 5:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Wing Chan can be reached on 571-272-7493. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2614

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.



Benny Q. Tieu
Primary Examiner
Art Unit 2614